



Batteries



18 Months Warranty

PART NUMBER	N200JMFE	
CHARACTERISTIC	Lead-Acid Sealed Maintenance Free	
GROUP SIZE	N200	
CASE AND LID	Material	Polypropylene (PP)
	Handle	2-pc rope handle
	Case Colour	Black Casing
	Lid Colour	Black Lid
	Ledge / Hold-down	No Ledge (NL)
	Vent	Centralized venting

DIMENSIONAL SPECIFICATIONS

OVERALL DIMENSIONS	METRIC (mm)
LENGTH	524
WIDTH	278
HEIGHT (bottom to top cover)	225
TOTAL HEIGHT (bottom to top of terminal)	251
NOMINAL WEIGHT	53.08 kg

TERMINAL DATA	POSITIVE	NEGATIVE						
TYPE	SAE	SAE						
TERMINAL HEIGHT (mm)	18.5±1.50	18.5±1.50						
BOTTOM DIAMETER (mm)	19.5±0.3	17.5±0.3						
TAPER	1:9	1:9						
POLARITY	<table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td style="text-align: center;">○</td> <td style="text-align: center;">○</td> <td style="text-align: center;">-</td> </tr> <tr> <td style="text-align: center;">○</td> <td style="text-align: center;">○</td> <td style="text-align: center;">+</td> </tr> </table>		○	○	-	○	○	+
○	○	-						
○	○	+						

TECHNICAL SPECIFICATIONS

COLD CRANKING AMPS (CCA)	1250 CCA	AMPERE-HOUR (20-HOUR CAPACITY)	200 AH
	Test reference: AS60095.1: 2022 Rated CCA DCH at 18°C for 30 sec		Test reference: AS60095.1: 2022 Rated AH DCH at 10.5 V cut-off
CAPACITY (RC)	408 mins	PLATE DESIGN	Lead-Calcium Alloy Full Frame Plate Design
	Test reference: AS60095.1: 2022 25 Amps DCH at 10.5 V cut-off voltage	ELECTROLYTE	36% H2SO4 at 15°C

